

## Tech Specs

UniFi [UISP](#) Branding

[60 GHz Wireless](#) [Wireless](#) [Fiber](#) [Wired](#) [Accessory Tech](#)

[Wireless](#) / [airMAX NanoStation M5 loco](#)


[Datasheet](#)

[Marketing Images](#)

### LocoM5

<b>Dimensions</b>	161 x 31 x 80 mm (6.31 x 1.22 x 3.15")
<b>Weight</b>	180 g (6.35 oz)
<b>Enclosure</b>	Outdoor UV Stabilized Plastic
<b>Mounting</b>	Pole-Mount (Kit Included)
<b>Networking Interface</b>	(1) 10/100 Ethernet Port
<b>Processor Specs</b>	Atheros MIPS 24Kc, 400 MHz
<b>Memory</b>	64 MB DDR2, 8 MB Flash
<b>Power Supply (PoE)</b>	24V, 0.5A
<b>Max. Power Consumption 5.5W</b>	5.5W
<b>Power Method</b>	Passive PoE (Pairs 4, 5+; 7, 8 Return)
<b>Operating Frequency MHz</b>	
Worldwide	5170-5875
US	5725-5850
USA DFS	5250-5850
<b>Gain</b>	13 dBi
<b>Frequency</b>	5 GHz
<b>Cross-pol Isolation</b>	20 dB Minimum
<b>Max. VSWR</b>	1.4:1
<b>Beamwidth</b>	45° (H-pol) / 45° (V-pol) / 45° (Elevation)
<b>Polarization</b>	Dual Linear
<b>RoHS Compliance</b>	Yes
<b>Shock &amp; Vibration</b>	ETSI300-019-1.4
<b>Operating Temperature</b>	-30 to 75° C (-22 to 167° F)
<b>Operating Humidity</b>	5 to 95% Noncondensing
<b>Certifications</b>	FCC, IC, CE

Stay in Touch



[Terms and Conditions](#) | [Terms of Service](#) | [Privacy Policy](#) | [Return Policy](#) | [Cookies Settings](#)

© 2023 Ubiquiti, Inc. All rights reserved.